Author Index

Abe, I.
——, Tsujioka, H. and Wasa, T.
Solvent extraction clean-up for pre-treatment in amino acid analysis by gas chromatography. Application to age estimation from the D/L ratio of aspartic acid in human dentine 165
Alvarez-Builla, J., see Gago, F. 95
Ascencio-Valle, F., see Ochoa, J. L. 322
Au-Yeung, C. Y., see Leung, C. P. 341
Beecher, G. R., see Khachik, F. 119
Berridge, J. C.
Analysis of tioconazole using high-performance liquid chromatography with a porous graphitic carbon column 317
Berthod, A.
—— and Roussel, A.
The rôle of the stationary phase in micellar liquid chromatography. Adsorption and efficiency 349
Bertrand, O., see Kroviarski, Y. 403, 413
Betts, T. J.
Characterisation of volatile oil constituents with relatively long gas chromatographic retention times on two stationary phases 312
Bianchi, A.
—— and Cook, H. A.
Modified method for analysis of C_2–C_5 hydrocarbons in an aromatic–alkane matrix using an automated thermal desorber 175
Birk, I. M.
——, Matern, U., Kaiser, I., Martin, C. and Weckesser, J.
The peptide toxin of the cyanobacterium *Microcystis aeruginosa* PCC 7941. Isolation and analysis by nuclear magnetic resonance and fast atom bombardment mass spectroscopy 423
Birkholz, D. A.
——, Coutts, R. T. and Hrudey, S. E.
Determination of polycyclic aromatic compounds in fish tissue 251
Black, R. M.
—— and Read, R. W.
Detection of trace levels of thiodiglycol in blood, plasma and urine using gas chromatography–electron-capture negative-ion chemical ionisation mass spectrometry 261
Boivin, P., see Kroviarski, Y. 403, 413
Breen, C., see Meaney, M. 241
Budd, R. D.
Validity of *post mortem* chest cavity blood ethanol determinations 337
Buszewski, B., see Nawrocki, J. 1
Carr, P. W., see Wade, J. L. 53
Cochet, S., see Kroviarski, Y. 403, 413
Connor, M., see Meaney, M. 241
Cook, H. A., see Bianchi, A. 175
Cotroneo, A.
——, Dugo, G., Favretto, L. and Gabrielli Favretto, L.
Gas chromatographic separation and chemometric analysis of mandarin essential oils 183
Coutts, R. T., see Birkholz, D. A. 251
Davis, J. M.
Experimental affirmation of the statistical model of overlap 41
Deshusses, J., see Nobile, S. 331
Doner, L. W.
——, Irwin, P. L. and Kurantz, M. J.
Preparative chromatography of oligogalacturonic acids 229
Dugo, G., see Cotroneo, A. 183
Elguero, J., see Gago, F. 95
Faber, J. P. M., see Ugalde, D. T. 207
Favretto, L., see Cotroneo, A. 183
Favretto, L., Gabrielli, see Cotroneo, A. 183
Fedeli, F., see Musu, C. 432
Fürst, P., see Stehle, P. 299
Fumagalli, L., see Musu, C. 432
Gabrielli Favretto, L., see Cotroneo, A. 183
Gago, F.
——, Alvarez-Builla, J. and Elguero, J.
Group contributions to hydrophobicity and elution behaviour of pyridine derivatives in reversed-phase high-performance liquid chromatography 95
Gennaro, M. C.
Role of the alkyl chain length of the ion interaction reagent, flow-rate, column packing and detection in ion interaction reversed-phase high-performance liquid chromatography in separations of anions using amine salicylates 103
Gilpin, R. K., see Yang, S. S. 115
Guiochon, G. A., see Katti, A. M. 25
Gyenge, R., see Patthy, M. 191
Harada, K.-I., see Oka, H. 448
Holt, D. L.
——, Wehling, R. L. and Zeece, M. G.
Determination of native folates in milk and other dairy products by high-performance liquid chromatography 271
Hrudey, S. E., see Birkholz, D. A. 251

Ikai, Y., see Oka, H. 448
Irwin, P. L., see Doner, L. W. 229
Italia, M. P.
—— and Uden, P. C.
Comparison of volatile halogenated compounds formed in the chloramination and chlorination of humic acid by gas chromatography–electron-capture detection 326
Ito, Y.
—— and Zhang, T.-Y.
Cross-axis synchronous flow-through coil planet centrifuge for large-scale preparative counter-current chromatography. I. Apparatus and studies on stationary phase retention in short coils 135
—— and Zhang, T.-Y.
Cross-axis synchronous flow-through coil planet centrifuge for large-scale preparative counter-current chromatography. II. Studies on partition efficiency in short coils and preparative separations with multilayer coils 153
Jandera, P.
Methods for characterization of selectivity in reversed-phase liquid chromatography. IV. Retention behaviour of oligomeric series 361
Jenner, C. F., see Ugalde, D. T. 207
Kaiser, I., see Birk, I. M. 423
Katti, A. M.
—— and Guiochon, G. A.
Prediction of band profiles in displacement chromatography by numerical integration of a semi-ideal model 25
Kausch, H.-H., see Nguyen, T. Q. 63
Kawamura, N., see Oka, H. 448
Khachik, F.
—— and Beecher, G. R.
Separation of carotenol fatty acid esters by high-performance liquid chromatography 119
Kirjanen, I., see Lõhmus, M. 77
Koerner, Jr., P. J.
—— and Nieman, T. A.
High-performance liquid chromatographic determination of glucosides (glucose conjugates) with post-column reaction detection combining immobilized enzyme reactors and luminol chemiluminescence 217
Kopycki, W., see Kudzin, Z. H. 306
Kraus, E., see Kuchař, M. 391
Kroviarski, Y.
——, Cochet, S., Vadon, C., Truskolaski, A., Boivin, P. and Bertrand, O.
New strategies for the screening of a large number of immobilized dyes for the purification of enzymes. Application to the purification of enzymes from human haemolysate 403
—— Cochet, S., Vadon, C., Truskolaski, A., Boivin, P. and Bertrand, O.
Purification of human 6-phosphogluconate dehydrogenase from human haemolysate with chromatography on an immobilized dye as the essential step and use of automation. Simultaneous purification of lactate dehydrogenase 413
Kuchař, M.
——, Kraus, E., Rejholec, V. and Miller, V.
Enthalpy–entropy compensation in reversed-phase high-performance liquid chromatography of series of aryloxoalkanoic and arylhydroxyalkanoic acids 391
Kudzin, Z. H.
—— and Kopycki, W.
Extraction chromatography of alkanethiols 306
Kurantz, M. J., see Doner, L. W. 229
Leung, C. P.
—— and Au-Yeung, C. Y.
High-performance liquid chromatographic determination of loperamide hydrochloride in pharmaceutical preparations 341
Lille, Ü., see Lõhmus, M. 77
Lloyd, J. B. F.
—— and Parry, D. A.
Detection and determination of common benzodiazepines and their metabolites in blood samples of forensic science interest. Microcolumn cleanup and high-performance liquid chromatography with reductive electrochemical detection at a pendent mercury drop electrode 281
Lõhmus, M.
——, Kirjanen, I., Lopp, M. and Lille, Ü.
Solvent selectivity in the resolution of some regioisomeric and diastereomeric prostaglandin intermediates on silica 77
Lopp, M., see Lõhmus, M. 77
Lundahl, P.
—— and Mascher, E.
Use of the term "detergent" in biochemistry 345
Martin, C., see Birk, I. M. 423
Mascher, E., see Lundahl, P. 345
Matern, U., see Birk, I. M. 423
Meaney, M.
——, Connor, M., Breen, C. and Smyth, M. R.
Comparison of high-performance liquid chromatographic and atomic spectrometric methods for the determination of Fe(III) and Al(III) in soil and clay samples 241
Miller, V., see Kuchař, M. 391

Musu, C.
——, Fumagalli, L., Perego, F., Fedeli, F. and Uggeri, F.
Quantitative determination of 2-amino-1,3-propanediol and its impurities by capillary gas chromatography 432
Nawrocki, J.
—— and Buszewski, B.
Influence of silica surface chemistry and structure on the properties, structure and coverage of alkyl-bonded phases for high-performance liquid chromatography (Review) 1
Nguyen, T. Q.
—— and Kausch, H.-H.
Absolute peak broadening calibration in size-exclusion chromatography using a polymer-bound chromophore 63
Nieman, T. A., see Koerner, Jr., P. J. 217
Nobile, S.
—— and Deshusses, J.
Detection of ligand–protein binding by direct electrophoresis of the complex 331
Ochoa, J. L.
—— and Ascencio-Valle, F.
Difference in cell surface hydrophobicity of *Halobacterium salinarium* strains 322
Oka, H.
——, Ikai, Y., Kawamura, N., Yamada, M., Harada, K.-I., Yamazaki, Y. and Suzuki, M.
Improvement of chemical analysis of antibiotics. XIV. Identification of the components of bacitracin using normal- and reversed-phase thin-layer chromatography 448
Parry, D. A., see Lloyd, J. B. F. 281
Patthy, M.
—— and Gyenge, R.
Perfluorinated acids as ion-pairing agents in the determination of monoamine transmitters and some prominent metabolites in rat brain by high-performance liquid chromatography with amperometric detection 191
Pearson, C. D.
Determination of phenolic antioxidants in JP-5 jet fuels by gas chromatography–mass selective detection 440
Perego, F., see Musu, C. 432
Rau, H., see Stehle, P. 299
Read, R. W., see Black, R. M. 261
Rejholec, V., see Kuchař, M. 391
Roussel, A., see Berthod, A. 349
Smyth, M. R., see Meaney, M. 241
Stehle, P.
——, Fürst, P., Ratz, R. and Rau, H.
Isotachophoresis of quaternary 4,4′-bipyridylium salts. Analytical control of synthesis and purification procedures 299
Suzuki, M., see Oka, H. 448
Truskolaski, A., see Kroviarski, Y. 403, 413
Tsujioka, H., see Abe, I. 165
Uden, P. C., see Italia, M. P. 326
Ugalde, D. T.
——, Faber, J. P. M. and Jenner, C. F.
Optimizing copper–bicinchoninate carbohydrate detection for use with water-elution high-performance liquid chromatography: a technique to measure the major mono- and oligosaccharides in small pieces of wheat endosperm 207
Uggeri, F., see Musu, C. 432
Vadon, C., see Kroviarski, Y. 403, 413
Wade, J. L.
—— and Carr, P. W.
Split peaks in non-linear chromatography and their effect on sample throughput in large scale separations 53
Wasa, T., see Abe, I. 165
Weckesser, J., see Birk, I. M. 423
Wehling, R. L., see Holt, D. L. 271
Yamada, M., see Oka, H. 448
Yamazaki, Y., see Oka, H. 448
Yang, S. S.
—— and Gilpin, R. K.
Influence of bonding chemistry on the reordering/resolvation of silica immobilized alkyl chains 115
Zeece, M. G., see Holt, D. L. 271
Zhang, T.-Y., see Ito, Y. 135, 153